



Document title Declaration of Performance		Ref.-No. of the Declaration of Performance BL 0002 (FK Bl_b)		
Item number / group production code = (first 2 numbers of the item number)	51 xxxx xxx	52 xxxx xxx	53 xxxx xxx	54 xxxx xxx 74 xxxx xxx 75 xxxx xxx
1. Type of product Dry pressed ceramic tiles with a water absorption of 0,5% < E < 3,0%		2. Intended purpose acc. to CEN 14411, appendix ZA ZA.1.1 Floor coatings inside ZA.1.2 Wall coatings inside		
3. Manufacturer Alois Korzilius Interbau Fabrikation für moderne Baukeramik GmbH & Co. KG Hauptstraße 73 - 79 D - 56235 Ransbach-Baumbach  architekturkeramik made in germany				
4. Authorised representative according to article 12 paragraph 2 -----				
5. Classification for evaluation and verification of the permanence of performance of the product according to appendix V System 4				
6. Involved testing institute for external testings of the compliance with harmonised standard  Forschungsinstitut für Anorganische Werkstoffe Glas/Keramik GmbH Heinrich-Meister-Strasse 2 D - 56203 Hörh-Grenzhausen EN 14411:2012				
7. Declared performance:				
Characteristic features	Performance	Harmonised technical standard		
Reaction to fire floor wall	A1FL A1	EN 14411:2012		
Release of dangerous substances, for:				
- Cadmium (Cd)	no performance determined	EN 14411:2012		
- Lead (Pb)	no performance determined	EN 14411:2012		
Breaking load Breaking load in [N] depending on the thickness of the material	6 mm > 720 N 7 mm > 1.030 N 8 mm > 1.280 N 9 mm > 1.620 N 10 mm > 2.000 N	EN 14411:2012		
Slip resistant features	acc. to catalogue	EN 14411:2012		
Durability, for:				
- Application inside	passed	EN 14411:2012		
- Application outside (thermal shock resistance)	-----			

no performance determined - keine Leistung festgelegt

The performance of the product in point 1 and 2 is in conformity with the the declared performance in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3. Signed on behalf of the manufacturer:

Torsten Klein, Quality control

Ransbach-Baumbach, 22.05.2013

Place and date of issue

Alois Korzilius Interbau
Fabrikation für moderne
Baukeramik GmbH & Co. KG
56235 Ransbach-Baumbach

Unterschrift